# **ASX Release**

05 December 2006



# **Duketon JV – New Nickel Discovery at The Bulge Prospect**

- Bulge "C2" conductor, one metre splits returned 25m @ 0.73% Ni, 154ppb Pt & 157ppb Pd, 300ppm Cu from 40m, including:
  - o 4m @ 1.07% Ni, and 199ppb PGE's (Pt + Pd), from 60m,
  - o and 1m @ 905ppb Pt, 373ppb Pd from 40m
- · Visible sulphides from fresh bedrock
- "C2" also returned 7m @ 0.45% Ni, 314ppb Pt +Pd and 198ppm Cu from 114m
- A further 5 holes to be drilled into "C2" early to mid December
- New TEM conductor discovered at Bandya Prospect
- Drilling of Bandya conductor expected January 07

South Boulder Mines Ltd (ASX: STB) is pleased to announce significant 1m split sample nickel assay results from recent Independence Group NL (ASX: IGO) RC drilling at the 'C2' target at the Bulge Prospect, within the Duketon Project north of Laverton in WA. These results further highlight the Nickel prospectivity of the Duketon area, with IGO set to continue drilling in December.

### **Drilling Results**

- Bulge "C2" conductor, 1m assays returned 25m @ 0.73% Ni, 154ppb Pt & 157ppb Pd, 300ppm Cu from 40m, including:
  - o 4m @ 1.07% Ni, and 199ppb PGE's (Pt + Pd), from 60m.
  - o 1m @ 905ppb Pt, 373ppb Pd from 40m
- Visible sulphides from fresh bedrock
- "C2" also returned 7m @ 0.45% Ni, 314ppb Pt +Pd and 198ppm Cu from 114m

Subsequent to 4m composite assays of the recent drilling at the Bulge, analysis of 1m samples from RC drill hole TBRC001 has returned a broad zone of 35m @ 0.72% Ni and 241ppb PGE's (Pt + Pd) from 40m. Sampling within this zone returned a core of 25m @ 0.73% Ni, 154ppb Pt, 157ppb Pd, and 300ppm Cu from 40m; including 4m @ 1.07% Ni, 199ppb Pt+Pd and 119ppb Cu from 60m. Logging from this zone recorded massive and semi massive stringers of goethite (possibly after sulphides) within a weathered cumulate ultramafic rock.

This zone also includes 1m @ 905ppb Pt and 373ppb Pd from 40m, which is some 300 times the background for these elements. Gold is also highly elevated in some instances with 1m @ 580ppb returned from 57m.

Further down the hole re sampling on a one metre basis returned 7m @ 0.45% Ni, 313ppb Pt +Pd and 198ppm Cu from 114m. This zone corresponds with a zone of fresh visible disseminated sulphides in fresh ultramafic bedrock.

TBRC001 represents the first drilling for nickel sulphides in the area for more than three decades and is the only hole drilled into "C2" conductor to date. TBRC001 was originally drilled to a depth of 186m and was designed to target a strong buried TEM conductor (dimensions 500m x 200m). TBRC001 initially returned a composite sample of 36m at 0.66% Ni from 40m together with

198ppm Cu, 97ppb Pt and 51ppb Pd. From 112m a further intercept with visible disseminated sulphides returned 8m @ 0.39% Ni, together with 83ppb Pt, 115ppb Pd and 116ppm Cu.

The 1m re-sampling in the core zone has effectively increased the nickel values by over 10%, the PGE's by over 100% and the copper by over 50%.

Figure 1. IGO RC drill hole TBRC001, targeting 'C2' conductor, the Bulge Prospect.




Table 1. RC hole TBRC001 targeting "C2" at the Bulge Prospect, Duketon JV

TBRC001         40         41         4         905         373         305         1740         0.291         345         9.06         0.06           TBRC001         41         42         2         220         180         395         1290         0.487         480         11.7         0.02           TBRC001         42         43         4         135         155         335         470         0.484         345         14.2         0.03           TBRC001         43         44         7         190         205         570         410         0.649         425         12.6         0.01           TBRC001         44         45         1         175         205         690         270         0.607         480         12.7         0.01           TBRC001         45         46         3         170         185         630         275         0.666         525         11.8         0.01           TBRC001         46         47         1         135         175         355         285         0.529         445         15.7         0.01           TBRC001         47         48         0         125	1282 402 294 402 381
TBRC001         42         43         4         135         155         335         470         0.484         345         14.2         0.03           TBRC001         43         44         7         190         205         570         410         0.649         425         12.6         0.01           TBRC001         44         45         1         175         205         690         270         0.607         480         12.7         0.01           TBRC001         45         46         3         170         185         630         275         0.666         525         11.8         0.01           TBRC001         46         47         1         135         175         355         285         0.529         445         15.7         0.01           TBRC001         47         48         0         125         170         635         260         0.636         350         13.4         0.01           TBRC001         48         49         4         120         145         535         205         0.556         325         10.9         0.01           TBRC001         49         50         2         120	294 402
TBRC001 43 44 7 190 205 570 410 0.649 425 12.6 0.01 TBRC001 44 45 1 175 205 690 270 0.607 480 12.7 0.01 TBRC001 45 46 3 170 185 630 275 0.666 525 11.8 0.01 TBRC001 46 47 1 135 175 355 285 0.529 445 15.7 0.01 TBRC001 47 48 0 125 170 635 260 0.636 350 13.4 0.01 TBRC001 48 49 4 120 145 535 205 0.556 325 10.9 0.01 TBRC001 49 50 2 120 155 520 185 0.648 330 10.5 <0.01 TBRC001 50 51 3 100 140 300 135 0.603 290 12.1 <0.01	402
TBRC001 44 45 1 175 205 690 270 0.607 480 12.7 0.01 TBRC001 45 46 3 170 185 630 275 0.666 525 11.8 0.01 TBRC001 46 47 1 135 175 355 285 0.529 445 15.7 0.01 TBRC001 47 48 0 125 170 635 260 0.636 350 13.4 0.01 TBRC001 48 49 4 120 145 535 205 0.556 325 10.9 0.01 TBRC001 49 50 2 120 155 520 185 0.648 330 10.5 <0.01 TBRC001 50 51 3 100 140 300 135 0.603 290 12.1 <0.01	
TBRC001         45         46         3         170         185         630         275         0.666         525         11.8         0.01           TBRC001         46         47         1         135         175         355         285         0.529         445         15.7         0.01           TBRC001         47         48         0         125         170         635         260         0.636         350         13.4         0.01           TBRC001         48         49         4         120         145         535         205         0.556         325         10.9         0.01           TBRC001         49         50         2         120         155         520         185         0.648         330         10.5         <0.01           TBRC001         50         51         3         100         140         300         135         0.603         290         12.1         <0.01	381
TBRC001         46         47         1         135         175         355         285         0.529         445         15.7         0.01           TBRC001         47         48         0         125         170         635         260         0.636         350         13.4         0.01           TBRC001         48         49         4         120         145         535         205         0.556         325         10.9         0.01           TBRC001         49         50         2         120         155         520         185         0.648         330         10.5         <0.01           TBRC001         50         51         3         100         140         300         135         0.603         290         12.1         <0.01	
TBRC001         47         48         0         125         170         635         260         0.636         350         13.4         0.01           TBRC001         48         49         4         120         145         535         205         0.556         325         10.9         0.01           TBRC001         49         50         2         120         155         520         185         0.648         330         10.5         <0.01           TBRC001         50         51         3         100         140         300         135         0.603         290         12.1         <0.01	358
TBRC001 48 49 4 120 145 535 205 0.556 325 10.9 0.01 TBRC001 49 50 2 120 155 520 185 0.648 330 10.5 <0.01 TBRC001 50 51 3 100 140 300 135 0.603 290 12.1 <0.01	311
TBRC001 49 50 2 120 155 520 185 0.648 330 10.5 <0.01 TBRC001 50 51 3 100 140 300 135 0.603 290 12.1 <0.01	295
TBRC001 50 51 3 100 140 300 135 0.603 290 12.1 < 0.01	269
TBRC001 50 51 3 100 140 300 135 0.603 290 12.1 < 0.01	277
TERPONT 51 50 5 145 155 450 160 0.734 275 10.21 0.01	243
	305
TBRC001 52 53 1 170 185 640 170 0.874 260 9.8 0.02	356
TBRC001 53 54 1 125 140 310 150 0.649 235 10.9 0.01	266
TBRC001 54 55 10 75 100 280 105 0.717 440 9.56 0.02	185
TBRC001 55 56 5 115 155 635 110 0.799 415 10.4 0.02	275
TBRC001 56 57 5 135 140 710 240 0.888 460 8.6 0.02	280
TBRC001 57 58 580 120 160 530 190 0.783 500 9.31 0.02	860
TBRC001 58 59 56 95 140 595 135 0.852 490 10.2 0.02	291
TBRC001 59 60 27 80 125 475 100 0.843 405 11.6 0.02	232
TBRC001 60 61 23 85 110 725 135 1.3 435 8.04 0.04	218
TBRC001 61 62 44 85 115 590 105 0.958 405 13 0.03	244
TBRC001 62 63 78 85 105 470 115 0.98 260 12.6 0.02	268
TBRC001 63 64 8 90 120 690 120 1.05 270 12.2 0.02	218
TBRC001 64 65 90 60 90 345 80 0.752 155 16.3 0.01	240
TBRC001 65 66 56 40 85 330 65 0.79 130 15.8 0.02	181
TBRC001 66 67 18 40 65 400 50 0.764 145 16.9 0.02	123
TBRC001 67 68 28 45 75 450 70 0.913 170 14.9 0.02	148
TBRC001 68 69 33 30 60 515 45 0.835 155 17 0.02	123
TBRC001 69 70 19 15 35 420 35 0.722 145 17 0.02	69
TBRC001 70 71 12 15 35 245 55 0.521 85 18 0.01	62
TBRC001 71 72 8 10 20 195 100 0.429 60 16.8 0.01	38
TBRC001 72 73 38 10 30 195 225 0.567 115 17.2 0.02	78
TBRC001 73 74 23 10 20 200 170 0.552 110 16.5 0.02	53
TBRC001 74 75 23 15 35 225 55 0.634 125 15.4 0.02	73
TBRC001 75 76 9 10 20 185 45 0.425 60 16.8 0.03	39
TBRC001 76 77 3 5 10 120 40 0.354 35 17.8 0.05	18
TBRC001 77 78 7 5 15 150 65 0.381 25 16.5 0.02	27
TBRC001 78 79 3 15 10 120 20 0.295 25 20.7 0.17	28
TBRC001 79 80 7 30 30 105 35 0.329 35 18.1 0.3	67
TBRC001 80 81 14 30 30 205 115 0.628 55 20.4 1.04	74
TBRC001 97 98 6 30 30 140 100 0.401 90 20.3 0.76	66
TBRC001 107 108 9 45 60 170 380 0.389 60 16.6 1.12	114
TBRC001 108 109 23 60 70 165 245 0.457 50 18 1.36	153
TBRC001 109 110 16 45 55 180 280 0.524 50 18.6 1.59	116
TBRC001 114 115 15 90 145 135 125 0.419 60 18.6 1.41	250
TBRC001 115 116 21 95 150 115 100 0.382 50 17.3 1.32	266
TBRC001 116 117 11 105 160 145 135 0.484 60 16.7 2.02	276
TBRC001 117 118 10 80 130 125 105 0.388 50 17.7 1.39	220
TBRC001 118 119 9 125 210 150 165 0.569 45 16.4 2.46	344
TBRC001 119 120 9 95 160 115 110 0.418 45 15.9 1.76	264
TBRC001 120 121 14 275 375 180 645 0.5 105 10.3 5.04	664

South Boulder Mines Managing Director Liam Cornelius said: "This first hole into the Bulge "C2" conductor confirms the presence of a nickelifous system within the JV area. This nickel mineralisation and coincident platinoid and copper mineralisation is intersected over a wide interval, these results are very encouraging."

## **Future Exploration**

It is currently anticipated that a drill rig will be on site and ready to commence RC drilling during the second week of December. A further five holes are planned to target the down dip and strike extensions of the "C2" nickel sulphide mineralisation. Drilling is planned to intercept the down dip extensions of the "C2" mineralisation in fresh bedrock. At this stage 3 RC holes are planned to a depth of 240m, while the other 2 are planned to a depth of 180m. See diagram below.

## **Bandya Station TEM anomaly**

Ongoing ground TEM surveys have outlined a further conductor of interest near the deserted Bandya homestead. It is currently anticipated that drilling will commence to test this conductor in January following statutory site clearances.

#### **About South Boulder Mines Ltd**

Listed in 2003, South Boulder Mines Ltd (STB) is focused on exploration within the Duketon Gold-Nickel Project. In early 2004, STB signed a farm-out joint venture agreement with Independence Group (IGO), who can earn a 70% interest of the nickel rights on tenements held by STB within the Duketon Project by the completion of a Bankable Feasibility Study within 5 years. New in-house technology developed by IGO and currently in use on the Duketon Nickel JV lends a significant advantage over previous explorers.

### More information:

Liam Cornelius Managing Director South Boulder Mines Ltd +61 (08) 9227 1144 0411 156 745

### Media enquiries:

Kat Fremlin Allchurch Communications (08) 9381 6625 0439 938 265

The Information in this report that relates to Exploration Results is based on information compiled by Liam Cornelius, who is a member of the Australian Institute of Geoscientists. Mr Cornelius is a geologist and has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2004 Edition of the "Australian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves. Liam Cornelius consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.